



Murat Faik Erdoğan, MD, Professor,
Endocrinology and Metabolic Diseases.
Ankara University, School of Medicine,
İbni Sina Hastanesi , 10. Kat, D Blok,
Sıhhiye, Ankara, Turkey
Phone: 90 312 3094717
Fax: 90 312 3094505
e-mail : murat.erdogan@temd.org.tr

Born in the 4th of January 1967

Started his medical education in Ankara University, School of Medicine in 1983.

Graduated from medical school and started Internal Medicine fellow-ship in 1989.

Studied on molecular endocrinology, in Tulane University, United States-Japan laboratories, New Orleans, USA, for one year in 1993.

Gained his speciality in Internal Medicine, in June 1995

Started his training in Endocrinology and Metabolism at the same University in May 1996 and finished his fellow-ship in June 1998.

Became an Associate Professor in Endocrinology and Metabolism in 1998 and full Professor in 2004.

Has several national and international publications in the field of Endocrinology and Metabolism.

Worked as congress scientific secretary of the congresses and joint meetings organised by the Society of Endocrinology and Metabolism of Turkey between 1997 and 2001. Organizing scientific secretary of ETA 2004, Istanbul. Organized and took place in several thyroid ultrasonography courses during ETA, ECE and ITC meetings.

Specific fields of interest 'thyroid ultrasonography', 'iodine deficiency', 'thyroid nodules', 'sporadic or familial medullary thyroid cancer', 'MEN 2 Syndromes'

Worked with Turkish Government Ministry of Health, Mother and Child Care General Directorate since 1997, for the determination of Iodine Status and control of Iodine prophylaxis programme in Turkey and also in Turkish republic of Northern Cyprus. Organized, directed and worked himself on several iodine surveys all over the Turkey. Gave several lectures educational courses, published medical and paramedical articles, took part on several television programmes covering iodine deficiency and endemic goiter in Turkey. Worked as the National Representative of Turkey, in ICCIDD West, Central Europe Region.

Executive Committee Member of ETA (European Thyroid Association)(2004-2009), Senior advisor ICCIDD (International Council for the Control of Iodine deficiency disorders, National representative ICCIDD; member AACE (American Association of Clinical Endocrinologists), SEMT (Society of Endocrinology and Metabolism of Turkey)

67 published articles in SCI indexed Journals cited 1288 times H Index: 20 (April , 2019)

Publication list:

1: Mann JFE, Ørsted DD, Brown-Frandsen K, Marso SP, Poulter NR, Rasmussen S, Tornøe K, Zinman B, Buse JB; LEADER Steering Committee and Investigators. Liraglutide and Renal Outcomes in Type 2 Diabetes. *N Engl J Med.* 2017 Aug 31;377(9):839-848. doi: 10.1056/NEJMoa1616011.

2: Russ G, Bonnema SJ, Erdogan MF, Durante C, Ngu R, Leenhardt L. European Thyroid Association Guidelines for Ultrasound Malignancy Risk Stratification of Thyroid Nodules in Adults: The EU-TIRADS. *Eur Thyroid J.* 2017 Sep;6(5):225-237. doi: 10.1159/000478927.

3: Marso SP, Daniels GH, Brown-Frandsen K, Kristensen P, Mann JF, Nauck MA, Nissen SE, Pocock S, Poulter NR, Ravn LS, Steinberg WM, Stockner M, Zinman B, Bergenstal RM, Buse JB; LEADER Steering Committee; LEADER Trial Investigators. Liraglutide and Cardiovascular Outcomes in Type 2 Diabetes. *N Engl J Med.* 2016 Jul 28;375(4):311-22. doi: 10.1056/NEJMoa1603827.

4: Demir Ö, Köse N, Özkan E, Ünlütürk U, Aras G, Erdoğan MF. Clinical significance of thyroid incidentalomas identified by 18F-FDG PET/CT: correlation of ultrasonography findings with cytology results. *Nucl Med Commun.* 2016 Jul;37(7):715-20. doi: 10.1097/MNM.0000000000000495.

5: Melander A, Olsson J, Lindberg G, Salzman A, Howard T, Stang P, Lydick E, Emslie-Smith A, Boyle DI, Evans JM, Macdonald TM, Bain J, Sullivan F; AD Morris for the DARTS/MEMO 35th Annual Meeting of the European Association for the Study of Diabetes : Brussels, Belgium, 28 September-2 October 1999. *Diabetologia.* 1999 Aug;42(Suppl 1):A1-A330. PubMed PMID: 27770183.

6: Araz M, Soydal Ç, Özkan E, Kir MK, İbiş E, Güllü S, Erdoğan MF, Emral R, Küçük ÖN. The efficacy of fluorine-18-choline PET/CT in comparison with 99mTc-MIBI SPECT/CT in the localization of a hyperfunctioning parathyroid gland in primary hyperparathyroidism. *Nucl Med Commun.* 2018 Nov;39(11):989-994. doi:10.1097/MNM.0000000000000899.

7: Anaforoğlu İ, Algün E, İnceçayır Ö, Topbaş M, Erdoğan MF. Iodine status among pregnant women after mandatory salt iodisation. *Br J Nutr.* 2016 Feb 14;115(3):405-10. doi: 10.1017/S0007114515004559.

8: Oral E, Aydoğan Mathyk B, Aydoğan BI, Acıgoz AS, Erenel H, Celik Acıoğlu H, Amık İlhan G, Dane B, Özel A, Tandogan B, Cakar E, İsci H, Kayan B, Aslan H, Ekiz A, Sancak S, Celik A, Yoldemir T, Uzun O, Erdogan MF. Iodine status of pregnant women in a metropolitan city which proved to be an iodine-sufficient area. Is mandatory salt iodisation enough for pregnant women? *Gynecol Endocrinol.* 2016;32(3):188-92. doi: 10.3109/09513590.2015.1101443.

9: Genc A, Tur BS, Aytur YK, Oztuna D, Erdogan MF. Does aerobic exercise affect the hypothalamic-pituitary-adrenal hormonal response in patients with fibromyalgia syndrome? *J Phys Ther Sci.* 2015 Jul;27(7):2225-31. doi: 10.1589/jpts.27.2225.

10: Aydoğan Bİ, Yüksel B, Tuna MM, Navdar Başaran M, Akkurt Kocaeli A, Ertörer ME, Aydın K, Güldiken S, Şimşek Y, Cihan Karaca Z, Yılmaz M, Aktürk M, Anaforoğlu İ, Kebapçı N, Duran C, Taşlıpınar A, Kulaksızoğlu M, Gürsoy A, Dağdelen S, Erdoğan MF. Distribution of RET Mutations and Evaluation of Treatment Approaches in Hereditary Medullary Thyroid Carcinoma in Turkey. *J Clin Res Pediatr Endocrinol.* 2016 Mar 5;8(1):13-20. doi: 10.4274/jcrpe.2219.

11: Aydoğan Bİ, Gerede DM, Canpolat AG, Erdoğan MF. Cushing's Disease Presented by Reversible Dilated Cardiomyopathy. *Case Rep Cardiol.* 2015;2015:980897. doi:10.1155/2015/980897.

12: Erdoğan MF, Demir Ö, Ersoy RÜ, Gül K, Aydoğan Bİ, Üç ZA, Mete T, Ertek S, Ünlütürk U, Çakır B, Aral Y, Güler S, Güllü S, Çorapçıoğlu D, Dağdelen S, Erdoğan G. Comparison of Early Total

- Thyroidectomy with Antithyroid Treatment in Patients with Moderate-Severe Graves' Orbitopathy: A Randomized Prospective Trial. *Eur Thyroid J.* 2016 Jul;5(2):106-11. doi: 10.1159/000444796.
- 13: Leenhardt L, Erdogan MF, Hegedus L, Mandel SJ, Paschke R, Rago T, Russ G. 2013 European thyroid association guidelines for cervical ultrasound scan and ultrasound-guided techniques in the postoperative management of patients with thyroid cancer. *Eur Thyroid J.* 2013 Sep;2(3):147-59. doi:10.1159/000354537.
- 14: Mousa U, Sav H, Köseoğluları O, Erdoğan MF. Iodine status of pregnant women in Northern Cyprus. *Balkan Med J.* 2018 Nov 15;35(6):449-450. doi:10.4274
- 15: Ağbaht K, Erdogan MF, Emral R, Baskal N, Güllü S. Circulating glucagon to ghrelin ratio as a determinant of insulin resistance in hyperthyroidism. *Endocrine.* 2014 Feb;45(1):106-13. doi: 10.1007/s12020-013-9951-9. 10. PubMed PMID: 23572405.
- 16: Gökçay Canpolat A, Şahin M, Ediboğlu E, Erdoğan MF, Güllü S, Demir Ö, Emral R, Çorapçıoğlu D. Diagnostic accuracy of parathyroid hormone levels in washout samples of suspicious parathyroid adenomas: A single-centre retrospective cohort study. *Clin Endocrinol (Oxf).* 2018 Oct;89(4):489-495. doi: 10.1111/cen.13812.
- 17: Erdoğan MF, Tatar FA, Unlütürk U, Cin N, Uysal AR. The effect of scrubbing hands with iodine-containing solutions on urinary iodine concentrations of the operating room staff. *Thyroid.* 2013 Mar;23(3):342-5. doi: 10.1089/thy.2012.0325. PubMed PMID: 23234312.
- 18: Unlütürk U, Erdoğan MF, Demir O, Güllü S, Başkal N. Ultrasound elastography is not superior to grayscale ultrasound in predicting malignancy in thyroid nodules. *Thyroid.* 2012 Oct;22(10):1031-8. doi: 10.1089/thy.2011.0502. Epub 2012 Aug 9. PubMed PMID: 22876757.
- 19: Ertek S, Ersoy RÜ, Anıl C, Demir O, Erdoğan MF, Güllü S, Berker D, Gül K, Unlütürk U, Erdoğan G; Ankara Thyroid Study Group. Hypothyroidism, new nodule formation and increase in nodule size in patients who have undergone hemithyroidectomy. *Arch Med Sci.* 2012 May 9;8(2):263-9. doi:10.5114/aoms.2012.28222.
- 20: Ünlütürk U, Sriphrapadang C, Erdoğan MF, Emral R, Güldiken S, Refetoff S, Güllü S. Management of differentiated thyroid cancer in the presence of resistance to thyroid hormone and TSH-secreting adenomas: a report of four cases and review of the literature. *J Clin Endocrinol Metab.* 2013 Jun;98(6):2210-7. doi: 10.1210/jc.2012-4142.
- 21: Erdogan MF. Thiocyanate overload and thyroid disease. *Biofactors.* 2003;19(3-4):107-11. Review. PubMed PMID: 14757960.
- 22: Demir O, Gedik V, Corapcioglu D, Emral R, Unlu MA, Erdogan MF, Gullu S, Uysal AR, Baskal N. Improvement in remission rates of the first operation in acromegalic patients. *Turk Neurosurg.* 2012;22(5):645-50. doi:10.5137/1019-5149.JTN.6045-12.0.
- 23: Aras D, Maden O, Ozdemir O, Aras S, Topaloglu S, Yetkin E, Demir AD, Soyulu MO, Erdogan MF, Kisacik HL, Korkmaz S. Simple electrocardiographic markers for the prediction of paroxysmal atrial fibrillation in hyperthyroidism. *Int J Cardiol.* 2005 Mar 10;99(1):59-64. PubMed PMID: 15721500.
- 24: Gursoy A, Anil C, Unal AD, Demirer AN, Tutuncu NB, Erdogan MF. Clinical and epidemiological characteristics of thyroid hemiagenesis: ultrasound screening in patients with thyroid disease and normal population. *Endocrine.* 2008 Jun;33(3):338-41. doi: 10.1007/s12020-008-9095-5.
- 25: Kurtais Y, Tur BS, Elhan AH, Erdogan MF, Yalçın P. Hypothalamic-pituitary-adrenal hormonal responses to exercise stress test in patients with rheumatoid arthritis compared to healthy controls. *J Rheumatol.* 2006 Aug;33(8):1530-7. PubMed PMID: 16881110.

- 26: Erdoğan G, Corapçioğlu D, Erdoğan MF, Hallioğlu J, Uysal AR. Furosemide and DAVP for the treatment of pseudohypoaldosteronism type II. *J Endocrinol Invest.* 1997 Dec;20(11):681-4. PubMed PMID: 9492109.
- 27: Kamel N, Erdoğan MF, Tonyukuk V, Ilgin SD, Erdoğan G. Twenty-four hour 17-hydroxyprogesterone response to adrenocorticotropine in adrenal incidentalomas: augmented response after adrenalectomy in two patients. *Endocr J.* 2002 Feb;49(1):35-40. PubMed PMID: 12008748.
- 28: Erdoğan MF, Gursoy A, Erdoğan G. Natural course of benign thyroid nodules in a moderately iodine-deficient area. *Clin Endocrinol (Oxf).* 2006 Dec;65(6):767-71. PubMed PMID: 17121528.
- 29: Erdoğan MF, Kamel N, Aras D, Akdoğan A, Başkal N, Erdoğan G. Value of re-aspirations in benign nodular thyroid disease. *Thyroid.* 1998 Dec;8(12):1087-90. PubMed PMID: 9920362.
- 30: Erdoğan MF, Anil C, Cesur M, Başkal N, Erdoğan G. Color flow Doppler sonography for the etiologic diagnosis of hyperthyroidism. *Thyroid.* 2007 Mar;17(3):223-8. PubMed PMID: 17381355.
- 31: Erdoğan MF, Güleç S, Tutar E, Başkal N, Erdoğan G. A stepwise approach to the treatment of amiodarone-induced thyrotoxicosis. *Thyroid.* 2003 Feb;13(2):205-9. PubMed PMID: 12699596.
- 32: Erdoğan MF, Gürsoy A, Ozgen G, Cakir M, Bayram F, Ersoy R, Algün E, Cetinarslan B, Cömlekçi A, Kadioglu P, Balci MK, Yetkin I, Kabalak T, Erdoğan G. Ret proto-oncogene mutations in apparently sporadic Turkish medullary thyroid carcinoma patients: Turkmen study. *J Endocrinol Invest.* 2005 Oct;28(9):806-9. PubMed PMID: 16370559.
- 33: Gürsoy A, Erdoğan MF, Cin MO, Cesur M, Başkal N. Effect of sibutramine on blood pressure in patients with obesity and well-controlled hypertension or normotension. *Endocr Pract.* 2005 Sep-Oct;11(5):308-12. PubMed PMID: 16191490.
- 34: Erdoğan MF, Demir O, Ozkan E, Küçük ON. Can injection of pentagastrin stimulate the identification of metastases of medullary thyroid carcinoma by (18)F-FDG PET/CT? *Hell J Nucl Med.* 2012 May-Aug;15(2):155-6. doi: 10.1967/s002449910035. Epub 2012 Jun 27. PubMed PMID: 22741153.
- 35: Gürsel Y, Ergin S, Ulus Y, Erdoğan MF, Yalçın P, Evcik D. Hormonal responses to exercise stress test in patients with fibromyalgia syndrome. *Clin Rheumatol.* 2001;20(6):401-5. PubMed PMID: 11771522.
- 36: Delibasi T, Erdoğan MF, Serinsöz E, Kaygusuz G, Erdoğan G, Sertçelik A. Ovarian hilus-cell hyperplasia and high serum testosterone in a patient with postmenopausal virilization. *Endocr Pract.* 2007 Sep;13(5):472-5. PubMed PMID: 17872348.
- 37: Kiran M, Arpak N, Unsal E, Erdoğan MF. The effect of improved periodontal health on metabolic control in type 2 diabetes mellitus. *J Clin Periodontol.* 2005 Mar;32(3):266-72. PubMed PMID: 15766369.
- 38: Erdoğan MF, Küçük NO, Anil C, Aras S, Ozer D, Aras G, Kamel N. Effect of radioiodine therapy on thyroid nodule size and function in patients with toxic adenomas. *Nucl Med Commun.* 2004 Nov;25(11):1083-7. PubMed PMID: 15577585.
- 39: Gullu S, Gursoy A, Erdoğan MF, Dizbaysak S, Erdoğan G, Kamel N. Multiple endocrine neoplasia type 2A/localized cutaneous lichen amyloidosis associated with malignant pheochromocytoma and ganglioneuroma. *J Endocrinol Invest.* 2005 Sep;28(8):734-7. PubMed PMID: 16277170.

- 40: Erdogan MF, Gursoy A, Kulaksizoglu M. Long-term effects of elevated gastrin levels on calcitonin secretion. *J Endocrinol Invest.* 2006 Oct;29(9):771-5. PubMed PMID: 17114906.
- 41: Yaman O, Akand M, Gursoy A, Erdogan MF, Anafarta K. The effect of diabetes mellitus treatment and good glycemic control on the erectile function in men with diabetes mellitus-induced erectile dysfunction: a pilot study. *J Sex Med.* 2006 Mar;3(2):344-8. PubMed PMID: 16490030.
- 42: Ünlütürk U, Erdoğan MF, Demir O, Culha C, Güllü S, Başkal N. The role of ultrasound elastography in preoperative localization of parathyroid lesions: a new assisting method to preoperative parathyroid ultrasonography. *Clin Endocrinol (Oxf).* 2012 Apr;76(4):492-8. doi: 10.1111/j.1365-2265.2011.04241.x. PubMed PMID: 21955171.
- 43: Uysal AR, Delibasi T, Erdogan MF, Kamel N, Baskal N, Tonyukuk V, Corapcioglu D, Güllü S, Erdogan G. Effect of simvastatin use on bone mineral density in women with type 2 diabetes. *Endocr Pract.* 2007 Mar-Apr;13(2):114-6. PubMed PMID: 17490923.
- 44: Erdoğan MF, Güleç S, Tutar E, Güldal M, Başkal N, Erdoğan G. HLA-B40-, HLA-Cw3-, and HLA-DR5-associated susceptibility to amiodarone-induced thyroid dysfunction. *Thyroid.* 2000 Apr;10(4):369-70. Review. PubMed PMID: 10807068.
- 45: Gursoy A, Erdogan MF, Cin MO, Cesur M, Baskal N. Comparison of orlistat and sibutramine in an obesity management program: efficacy, compliance, and weight regain after noncompliance. *Eat Weight Disord.* 2006 Dec;11(4):e127-32. PubMed PMID: 17272944.
- 46: Erdoğan MF, Ağbaht K, Altunsu T, Ozbaş S, Yücesan F, Tezel B, Sargin C, İlbeğ I, Artik N, Köse R, Erdoğan G. Current iodine status in Turkey. *J Endocrinol Invest.* 2009 Jul;32(7):617-22. doi: 10.3275/6379. Epub 2009 Jun 24. PubMed PMID: 19564718.
- 47: Erdoğan MF, Demir O, Emral R, Kamel AN, Erdoğan G. More than a decade of iodine prophylaxis is needed to eradicate goiter among school age children in a moderately iodine-deficient region. *Thyroid.* 2009 Mar;19(3):265-8. doi: 10.1089/thy.2008.0253. PubMed PMID: 19265497.
- 48: Delibasi T, Emral R, Erdogan MF, Kamel N. Effects of alendronate sodium therapy on carotid intima media thickness in postmenopausal women with osteoporosis. *Adv Ther.* 2007 Mar-Apr;24(2):319-25. PubMed PMID: 17565922.
- 49: Erdoğan MF, Güllü S, Başkal N, Uysal AR, Kamel N, Erdoğan G. Omeprazole: calcitonin stimulation test for the diagnosis follow-up and family screening in medullary thyroid carcinoma. *J Clin Endocrinol Metab.* 1997 Mar;82(3):897-9. PubMed PMID: 9062503.
- 50: Gursoy A, Erdogan MF, Erdogan G. Significance of the RET proto-oncogene polymorphisms in Turkish sporadic medullary thyroid carcinoma patients. *J Endocrinol Invest.* 2006 Nov;29(10):858-62. PubMed PMID: 17185892.
- 51: Erdoğan G, Erdogan MF, Emral R, Baştemir M, Sav H, Haznedaroğlu D, Ustündağ M, Köse R, Kamel N, Genç Y. Iodine status and goiter prevalence in Turkey before mandatory iodization. *J Endocrinol Invest.* 2002 Mar;25(3):224-8. PubMed PMID: 11936463.
- 52: Uysal AR, Erdoğan MF, Sahin G, Kamel N, Erdoğan G. Clinical and metabolic effects of fasting in 41 type 2 diabetic patients during Ramadan. *Diabetes Care.* 1998 Nov;21(11):2033-4. PubMed PMID: 9802768.
- 53: Erdoğan MF, Anil C, Ozer D, Kamel N, Erdoğan G. Is it useful to routinely biopsy hot nodules in iodine deficient areas? *J Endocrinol Invest.* 2003 Feb;26(2):128-31. PubMed PMID: 12739739.

- 54: Sahin M, Erdogan MF, Erdogan G. Cytotoxic T lymphocyte-associated molecule-4 polymorphisms in Turkish Graves' disease patients and association with probability of remission after antithyroid therapy. *Eur J Intern Med.* 2005 Sep;16(5):352-5. PubMed PMID: 16137550.
- 55: Erdoğan MF, Erdoğan G, Sav H, Güllü S, Kamel N. Endemic goiter, thiocyanate overload, and selenium status in school-age children. *Biol Trace Elem Res.* 2001 Feb;79(2):121-30. PubMed PMID: 11330518.
- 56: Gursoy A, Erdogan MF, Kamel N. Severe reversible dilated cardiomyopathy in a patient with multiple endocrine neoplasia 2A syndrome. *J Endocrinol Invest.* 2006 Apr;29(4):363-6. PubMed PMID: 16699305.
- 57: Sahin M, Gursoy A, Erdogan MF. Cytotoxic T lymphocyte-associated molecule-4 polymorphism in Turkish patients with Hashimoto thyroiditis. *Int J Immunogenet.* 2009 Apr;36(2):103-6. doi: 10.1111/j.1744-313X.2009.00831.x. PubMed PMID: 19284444.
- 58: Ünlütürk U, Karaveli G, Sak SD, Erdoğan MF. Hyalinizing trabecular tumor in a background of lymphocytic thyroiditis: a challenging neoplasm of the thyroid. *Endocr Pract.* 2011 Nov-Dec;17(6):e140-3. doi: 10.4158/EP11138.CR. PubMed PMID: 21940281.
- 59: Erdoğan G, Erdoğan MF, Delange F, Sav H, Güllü S, Kamel N. Moderate to severe iodine deficiency in three endemic goitre areas from the Black Sea region and the capital of Turkey. *Eur J Epidemiol.* 2000;16(12):1131-4. PubMed PMID: 11484802.
- 60: Erdoğan MF, Anil C, Türkçapar N, Ozkaramanli D, Sak SD, Erdoğan G. A case of Riedel's thyroiditis with pleural and pericardial effusions. *Endocrine.* 2009 Jun;35(3):297-301. doi: 10.1007/s12020-009-9168-0. Epub 2009 Apr 18. PubMed PMID: 19381890.
- 61: Gursoy A, Erdogan MF. Severe pulmonary involvement and pheochromocytoma in atypical patient with neurofibromatosis type 1. *Endocr Pract.* 2006 Jul-Aug;12(4):469-71. PubMed PMID: 16939950.
- 62: Erdogan MF, Gursoy A. Multiple endocrine neoplasia type 2 and sporadic medullary thyroid carcinoma: Turkish experience. *Pediatr Endocrinol Rev.* 2006 Aug;3 Suppl 3:503-7. Erratum in: *Pediatr Endocrinol Rev.* 2007 Sep;5(1):470. PubMed PMID: 17551473.
- 63: Erdogan G, Sav H, Erdogan MF. Iodine status and thyroid volumes of school age children from Northern Cyprus. *J Endocrinol Invest.* 2000 Feb;23(2):74-7. PubMed PMID: 10800758.
- 64: Güllü S, Erdoğan MF, Uysal AR, Başkal N, Kamel AN, Erdoğan G. A potential risk for osteomalacia due to sociocultural lifestyle in Turkish women. *Endocr J.* 1998 Oct;45(5):675-8. PubMed PMID: 10395248.
- 65: Gursoy A, Cesur M, Erdogan MF, Corapcioglu D, Kamel N. New-onset acute heart failure after intravenous glucocorticoid pulse therapy in a patient with Graves' ophthalmopathy. *Endocrine.* 2006 Jun;29(3):513-6. PubMed PMID: 16943591.
- 66: Cesur M, Gursoy A, Avcioglu U, Erdogan MF, Corapcioglu D, Kamel N. Thyrotoxic hypokalemic periodic paralysis as the first manifestation of interferon-alpha-induced Graves disease. *J Clin Gastroenterol.* 2006 Oct;40(9):864-5. PubMed PMID: 17016146.
- 67: Erdogan MF, Gulec B, Gursoy A, Pekcan M, Azal O, Gunhan O, Bayer A. Multiple endocrine neoplasia 2B presenting with pseudo-Hirschsprung's disease. *J Natl Med Assoc.* 2006 May;98(5):783-6. PubMed PMID: 16749656; PubMed Central PMCID: PMC2569281.